

Drying ironers

professional ironing solutions



Ironer Features

- Easy to use
- Chrome plated rollers
- Large surface contact
- High ironing pressure
- Built in laundry box
- Reverse mode
- Speed & temperature display



iron

drying ironers

Drying Ironer Features

easy to operate, programmable ironer with adjustable temperature and roller speed makes it ideal for all fabric types. It features durable Nomex ironing belts, automatic cooldown and easy to remove lint filters.

finger guard & emergency stop for added operator safety.

chrome plated roller for even heat dispersion and premium finish.

self diagnosis helps to detect and diagnose any faults that may occur, helping to simplify any maintenance.

large surface contact with over 300 degrees of the roller having contact with the fabric, helping the finish and the throughput.

high ironing pressure ensures a premium finish.

large built in laundry box at the front of the machine captures ironed linen.

reverse mode possible, for ease of operation.

speed & temperature display makes it easy to ensure set up is correct for the fabric type.

	I-35 (140)	I-35 (160)	I-35 (200)	I-50 (160)	I-50 (200)	I-50 (250)	I-50 (320)
Capacity* (kg / hr)	27	32	40	45	60	80	100
Height (mm)	1180	1180	1180	1232	1232	1232	1232
Width (mm)	2150	2350	2750	2350	2750	3350	3950
Depth (mm)	875	875	875	992	992	992	992
Net weight (kg)	580	670	700	920	1150	1290	1590
Roller Length (m)	1.4	1.6	2	1.6	2	2.5	3.2
Roller Diameter (mm)	350	350	350	500	500	500	500
Roller Speed(m / min)	1.5 - 8						
Electrics	3 phase & neutral						
Electric heating (kW)	17	25	29	38	n/a	n/a	n/a
Gas (btu)	100,000	220,000	220,000	120,000	135,000	200,000	250,000
Exhaust	6"	6"	6"	6"	6"	6"	6" x 2
Available options							
Gas heating	Y	Y	Y	Y	Y	Y	Y
Electric heating	Y	Y	Y	Y	Y	Y	Y
Steam heating	N	N	N	Y	Y	Y	Y
Foot pedal	N	N	N	Y	Y	Y	Y
Folder & Stacker	N	N	N	N	N	N	Y

*The capacities are indications only, and will vary dependent on the residual moisture, fabric type, ironing temperature, pressure of the ironing bed, condition of the surface and the skill of the operator



iron

professional ironing solutions

Drying Ironer Features

easy to operate, programmable ironer with adjustable temperature and roller speed makes it ideal for all fabric types. It also features durable Nomex ironing belts, automatic cooldown and easy to remove lint filters.

finger guard & emergency stop for added operator safety.

chrome plated roller for even heat dispersion and premium finish.

self diagnosis helps to detect and diagnose any faults that may occur, helping to simplify any maintenance.

large surface contact with over 300 degrees of the roller having contact with the fabric, helping the finish and the throughput.

high ironing pressure ensures a premium finish.

large built in laundry box at the front of the machine captures ironed linen.

reverse mode possible for ease of operation.

speed & temperature display makes it easy to ensure set up is correct for the fabric type.

	IF50 (200)	IF50 (250)	IF50 (320)
Capacity* (kg / hr)	80+	95+	120+
Height (mm)	1568	1568	1568
Width (mm)	2750	3350	3950
Depth (mm)	1185	1185	1185
Net weight (kg)	1290	1440	1680
Roller Length (m)	2	2.5	3.2
Roller Diameter (mm)	500	500	500
Roller speed (m/min)		1.5 - 8	
Electrics		3 phase only	
Electric heating (kW)	50	70	85
Gas (btu)	135,000	200,000	250,000
Exhaust	6"	2 x 6"	2 x 6"
Available options			
Gas heating	Y	Y	Y
Electric heating	Y	Y	Y
Steam heating	Y	Y	Y
Foot pedal	Y	Y	Y

*The capacities are indications only, and will vary dependent on the residual moisture, fabric type, ironing temperature, pressure of the ironing bed, condition of the surface and the skill of the operator



Industrial cylinder heated drying ironers with length folding and automatic feeding

easy to operate programmable ironer with length folding with single person operation.

finger guard & emergency stop for added operator safety.

chrome plated roller for even heat dispersion and premium finish.

self diagnosis helps to detect and diagnose any faults that may occur, helping to simplify any maintenance.

large surface contact with over 300 degrees of the roller having contact with the fabric, helping the finish and the throughput.

high ironing pressure ensures a premium finish.

large built in laundry box at the front of the machine captures ironed linen.

displays speed & temperature makes it easy to ensure set up is correct for the fabric type.

	IFF50 (200)	IFF50 (250)	IFF50 (320)
Capacity* (kg / hr)	60	80	100
Height (mm)	1760	1760	1760
Width (mm)	2850	3450	4050
Depth (mm)	1320	1320	1320
Net weight (kg)	1720	2460	2770
Roller Length (m)	2	2.5	3.2
Roller Diameter (mm)	500	500	500
Roller Speed (m / min)		1.5 – 8	
Electrics		3 phase only	
Electric Heating (kW)	37	70	n/a
Gas (btu)	135,000	200,000	250,000
Exhaust	6"	2 x 6"	2 x 6"
Available options			
Gas heating	Y	Y	Y
Electric heating	Y	Y	N
Steam heating	Y	Y	Y
Crossfolder & stacker	N	Y	Y

*The capacities are indications only, and will vary dependent on the residual moisture, fabric type, ironing temperature, pressure of the ironing bed, condition of the surface and the skill of the operator



Laundryserv are committed to providing a complete quality service including:

- A 24 / 7 staffed contact line
- A choice of Service Level Agreements, including an 8 hour response option
- 95% First time fix rates
- Preventative maintenance visits
- Nationwide team of fully qualified, trained engineers
- Choice of full service rental or purchase and callout packages