

Table & roller ironers

*professional
ironing solutions*



iron

table & roller ironers

Roller Ironer Features

easy to operate programmable electric element ironer with adjustable temperature, makes it ideal for all fabric types.

finger guard & emergency stop for added operator safety.

foot pedal for easy start and operation.

high ironing pressure ensures a premium finish.

large built in laundry box at the front of the machine captures ironed linen.

speed & temperature display makes it easy to ensure set up is correct for the fabric type.

	I-25 (120)	I-25 (140)	I-30 (160)
Capacity* (kg/hr)	35	40	55
Height (mm)	1005	1005	1100
Width (mm)	1600	1800	2200
Depth (mm)	420	420	500
Net weight (kg)	118	126	262
Roller Length (m)	1.2	1.4	1.6
Roller Diameter (mm)	250	250	250
Roller Speed (m/min)	3.9	4.1	4.1
Total Rated Load (kW)	6.18	7.18	11.44
Electrics (kW)	1ph /3ph	3ph	3ph

*The capacities are indications only, and will vary dependent on the residual moisture, fabric type, ironing temperature, pressure of the ironing bed, condition of the surface and the skill of the operator



iron

professional ironing solutions

Miele Roller Ironer Features

easy to use operating panels include roller speed control, temperature indicator light and on/off button.

aluminium heater plates heat up four times faster than steel heater plates.

continuous speed and temperature control for easy operation.

safety features prevent fingers getting burnt. With a unique finger guard and automatic stop mechanism, the heater plate will lift off providing peace of mind when using the ironers.

foot control allows easy stopping of the roller.

Miele PROFESSIONAL	HM 16-80	HM 16-83	HM 21-100	HM 21-140	HM 5316
Capacity* (kg/hr)	15	15	14	27	47
Height (mm)	959	960	986	1055	1040
Width (mm)	985	1050	1280	1644	2160
Depth (mm)	380	380	412	670	590
Net weight (kg)	39	38	77	177	216
Roller Length (mm)	830	830	1005	1395	1650
Roller Diameter (mm)	160	160 inc.padding	210 inc.padding	210 inc.padding	250
Roller Speed (m/min)	2-4.5	2-4.5	1.3 - 3.5	1.8 - 5.7	1.2 - 3.9
Total Rated Load (kW)	2.7 - 3.2	2.6 - 3.1	4.55	6.9	11.9
Electrics (kW)	13A/1ph	1ph	1ph	1ph/3ph	3ph

*The capacities are indications only, and will vary dependent on the residual moisture, fabric type, ironing temperature, pressure of the ironing bed, condition of the surface and the skill of the operator



Stirovap Ironer Features

easy to operate steam iron, with adjustable temperature makes it ideal for all fabrics.

heated pressing shape is suitable for sleeves and trousers.

uniform suction ensures steam is pulled through the whole fabric area being ironed for a premium finish.

SILC Ironer Features



easy to operate steam iron with self contained boiler, with adjustable temperature makes it ideal for all fabrics.

heated table helps provide a crease free finish.

uniform suction ensures steam is pulled through the whole fabric area being ironed for a premium finish.

commercial steam iron has microswitch steam control providing a constant supply of steam.

	Stirovap Ironer	SILC S/AAR
Height (mm)	900	960
Width (mm)	1450	1630
Depth (mm)	500	530
Net weight (kg)	52	96
Electrics	1 phase, 13 amp plug	3 phase
Drain (mm)	n/a	15
Exhaust (mm)	n/a	15
Available options	Overhead light	Central steam Internal boiler Water spray gun



Laundryserv are committed to providing a complete quality service including:

- A 24 / 7 staffed contact line
- A choice of Service Level Agreements, including an 8 hour response option
- 95% First time fix rates
- Preventative maintenance visits
- Nationwide team of fully qualified, trained engineers
- Choice of full service rental or purchase and callout packages