



The Treadsmart
DIRECT MAT
Range



Why should I choose PHS Treadsmart?

The Specialists

PHS Treadsmart are the specialists in the provision of mats and matting to all types of commercial and public sector organisations throughout the UK. As holders of the Royal Warrant and ISO 9001 and 14001 you can be assured that our service and products are of the highest quality.

The Solutions

Whether you're looking for a simple entrance mat to protect your floors from foot borne dirt and moisture to matting that will protect your employees from prolonged standing, Treadsmart have the solution. Our specialist consultants work with you to build a detailed picture of your floor protection needs, ensuring that the Treadsmart product specified meets your exact requirements.

The Service

All products in this brochure are for direct purchase only, however PHS Treadsmart also offer the widest range of serviced dust mats available from simple Standard Mats to custom made Designer Mats that protect your floor whilst promoting your image or brand.




Treadsmart provide national coverage with local service: our strategically located regional centres make sure that there's a PHS branch at hand to provide an instant response to your needs, wherever you're based.




For further information on any of the direct products featured in this brochure or on any of Treadsmart's serviced products, please call us on **029 2080 9090**.



Contents

Key

-  Suitable for wet environments
-  Suitable for oily environments
-  Flame retardant tested

-  Slip resistant tested
-  Suitable for mat wells
-  Suitable for loose lay

Entrance Mats

70% of the dirt entering your building is brought in on the soles of people's shoes, but a properly sited entrance mat can help to reduce that amount. Entrance mats can be used either inside or outside a building's entrance to help remove dirt and moisture from shoes so preventing it from being walked in and damaging your flooring.

page 4-7

ENTRANCE MATS

Leisure Mats

Leisure and fitness areas require specialist matting – wet areas such as pools and showers are prone to an increased chance of slips whereas gyms can suffer from the noise and shock of heavy equipment. The Leisure Mat range provides matting that combines functionality and visual impact for each application.

page 8-9

LEISURE MATS

Bar & Catering Mats

In areas where food is being prepared or drinks being served – wet and greasy floors are a common hazard. The Bar and Catering Mat range includes products that are specially designed to cope with the rigours of such an environment.

page 10-11

BAR & CATERING MATS

Anti-fatigue Mats

Standing on cold, hard concrete floors for prolonged periods can cause physical fatigue and muscular pain, reducing your employees' productivity and concentration. Anti-fatigue mats are designed to reduce fatigue and pain, and so encourage increased concentration and productivity.

page 12-14

ANTI-FATIGUE MATS

Industrial Mats

Operatives working in industrial situations such as production lines and machining areas can suffer from the slip and trip hazards of spilt oil or debris on the floor. The mats in this range are designed to provide a safe working floor surface by allowing swarf, debris and oil to pass through the structure of the mat whilst providing some anti-fatigue properties to further benefit operators.

page 15-16

INDUSTRIAL MATS

Specialist Mats

Some environments require specialist matting, for example, smooth stair treads should be treated to provide extra grip, cleanroom environments require protection from foot borne contamination and static sensitive areas require flooring with static dissipative properties. This range includes a solution for each of these and more.

page 17-19

SPECIALIST MATS

ENTRANCE MATS

70% of the dirt entering your building is brought in on the soles of people's shoes, but a properly sited entrance mat can help to reduce that amount helping to protect your floors and lower your cleaning costs.

The Entrance Mats range contains a selection of mats that can be used either inside or outside a building's entrance to help prevent dirt and moisture from being walked in and damaging your flooring. Outdoor mats help to scrape larger particles of dirt and debris from the soles of shoes, whilst indoor mats help to remove moisture and smaller particles of dirt.

INDOOR

- PRIOR
- FORMA
- LOGO MATS
- TREADWELL
- SMARTSTEP
- PREMIER TRACK
- COIR MAT
- SYNTHETIC COIR MAT

OUTDOOR

- PRIOR
- RUBBER LOGO MATS
- FINGERTIP
- RINGMAT



Prior & Forma

An exceptionally tough and durable permanent solution for busy corporate or retail entrances with mats that help to scrape larger particles of dirt and debris from the soles of shoes, whilst indoor mats help to remove moisture and smaller particles of dirt. Prior and Forma are complementary tile systems that combine to provide an unbeatable scraper action with exceptional moisture and dirt retention. Tiles are available in open or closed construction and the textile infill of Forma is available in a choice of colours and carries the BS4790 (1998) fire resistance certificate. The surface is also 'high heel' friendly.

Sizes	Tile format so any size can be catered for
Tile size	20cm x 20cm
Thickness	16mm/11mm open construction, 11mm closed construction
Tile colour	Graphite
Textile infill colours	Choice of 8 colours

FORMA = INDOOR

PRIOR = INDOOR/OUTDOOR





Logo Mat

Create the right first impression with a Treadsmart Logo mat. Custom made to your specific design, Logo mats can be used to create any image you want, no matter how simple or complex the design, and are also available in a circular finish. Designs could include your corporate identity, message communication or even a photographic image, with imagination the only limit to your mat design.



INDOOR



Sizes Circular diameter 150cm, 200cm
Bespoke sizes up to 150cm length
and 400cm width

Colour Range of over 60 colours

Fire Retardant BS4790



Sculpted Rubber Logo Mat

First impressions start outside the front door, and Sculpted Rubber Logo Mats are ideal for outdoor use. This unique product allows you to create your brand, logo or message in moulded raised 3D rubber, providing a completely bespoke outdoor matting solution. The 100% nitrile construction is all weather resistant, and helps to remove large particulate foot borne soiling.



INDOOR
OUTDOOR



Sizes 0.85 x 1.5m, 0.85 x 3m, 1.15 x 1.75m
plus bespoke sizes up to 4.5sqm

Colours ●



Designer Rubber Logo Mat

Promote your brand or logo indoors or outdoors with a bright Designer Rubber Logo Mat. These bespoke, 100% nitrile rubber mats, are manufactured using moulded coloured rubber, with your design created over the waffle surface of the mats, ensuring the design is long lasting and ideal for even the busiest entranceway. The 100% nitrile construction is all weather resistant, and helps to remove large particulate foot borne soiling.





INDOOR
OUTDOOR



Sizes 0.85 x 1.5m, 0.85 x 3m, 1.15 x 1.75m

Colour ●



Treadwell Tiles

A flexible entrance tile system for mat wells, consisting of a black PVC tile with a quality textile infill to scrape dirt and moisture from foot traffic. The large tiles are both easy to connect and easily cut to fit any size and shape of area.



INDOOR



Sizes	Tile format so any size can be catered for
Tile size	0.3m x 0.45m
Thickness	15mm
Colour	●
Textile infill colours	● ●

Smartstep

Ideal for high traffic areas, Smartstep matting is designed to be fitted into mat wells and to trap dirt and moisture. The high twist & heat set mono & multi filaments nylon pile is backed with nitrile rubber and is treated with a Fluorocarbon chemical to help make soiling and staining easier to remove.



INDOOR



Sizes	Length: any up to 25m Width: 1.96m
Thickness	10mm
Colours	Choice of 8 colours

Premier Track

A flexible PVC tile with high quality carpet insert, the Premier Track matwell entrance system is designed to scrape dirt and absorb moisture. Suitable for all indoor areas, it creates a smart and stylish entranceway, and is suitable for high heel shoes.



INDOOR



Sizes	Tile format so any size can be catered for
Tile size	0.3m x 0.45m
Thickness	15mm
Colour	●
Textile infill colours	Blue, Brown & Anthracite

Coir & Synthetic Coir Mat

Coir mats can provide for years of wear in the busiest environments. Available for loose lay or fitting into a mat well, both carry the flammability certification BS4790 (1972). Natural coir mats are made from 100% pure coconut fibre and Synthetic coir mats are made from 100% nylon, both have a PVC backing for added stability. Coir mats are available with a plain finish or inlaid with your logo to provide a personalised entrance mat.



INDOOR



Sizes	Any size can be catered for
Colours	Natural: Available in 9 colours to enable the reproduction of chosen design Synthetic: Available in 6 colours to enable the reproduction of chosen design



Cleanwalk Mat


A hard wearing, multi-purpose rubber mat that effectively scrapes larger dirt particles from the soles of shoes, and prevents them being walked into your building. Manufactured from 100% Nitrile rubber, it's long lasting and resistant to oil and chemicals, and is easy to clean by shaking or hosing down.



OUTDOOR



Sizes	0.85 x 0.75, 0.85 x 1.5m, 0.85 x 3m, 1.15 x 1.75m
Colours	●



Ringmat

An extremely tough, hard wearing rubber matting for demanding outdoor conditions. Ideal for very wet or snow prone locations, the raised surface provides a scraper action for dirt and debris whilst the large holes allow the debris to fall through the mat. Available in a choice of octagonal (shown above) or honeycomb pattern, connectors are also available to link mats to provide coverage for larger areas.



OUTDOOR



Sizes Octagonal	1.0m x 1.5m
Sizes Honeycomb	0.8m x 1.2m, 1.0m x 1.5m
Thickness	23mm
Colours	●

LEISURE MATS

Leisure and fitness areas require specialist matting – wet areas such as pools and showers are prone to an increased chance of slips and falls whereas gyms can suffer from the noise and shock caused by heavy weights and equipment.

The Leisure Mat range provides matting that combines functionality and visual impact for each application. The wet area mats have a free draining structure to provide an excellent level of anti-slip protection whilst being comfortable for bare feet and bacteria resistant, whereas the Gym Matta provides a hard wearing surface to help cushion and protect gym floors.

GYMNASIUMS

- GYM MATTA

WET AREAS

- LEISURE MAT
- FLEXI-TREAD
- SPORT MAT





Gym Matta

A hard wearing PVC matting ideal for gymnasiums, weight rooms, sports centres and ice-rinks. The material cushions and helps to protect floors, absorbing both shock and noise from heavy equipment. The interlocking tile format makes it simple to install and fit any size area, whilst allowing it to be relocated with ease. The textured surface provides additional underfoot grip helping to prevent slips whilst the bevelled edges help prevent trips.

Sizes	Tile format so any size can be catered for
Tile size	0.5m x 0.5m
Thickness	25mm
Edge size	0.5m x 0.10m
Colours	● ● ● ● ● ● ● ●

GYMNASIUMS





Leisure Mat Tiles


A rubber, tile format, antislip drainage mat ideal for swimming pool areas and shower rooms. The tile format allows it to be used to fit any shape area whilst the textured surface gives added grip and comfort underfoot to wet, slippery areas. The anti-microbial additive within the mat and its free draining structure combine to make it an hygienic and attractive option. Ramped edging also available as an optional extra.



WET AREAS



Sizes	Tile format so any size can be catered for
Tile size	0.5m x 0.25m
Edge size	0.5m x 0.06m
Thickness	15mm
Colours	



Flexi-Tread


A PVC tile ideal for use in leisure environments and wet areas such as shower rooms. Its textured surface provides an excellent slip resistant finish, with holes that allow the drainage of water. Studs on the underside provide exceptional drainage properties and the tiles interlock to cover any shape or size area. Flexi-Tread is comfortable to walk on, even when barefoot, does not support the growth of bacteria and can be easily rolled up for cleaning purposes.



WET AREAS



Sizes	Tile format so any size can be catered for
Tile size	0.3m x 0.3m
Thickness	13mm
Colours	



Sport Mat

Designed to help reduce slips in wet environments, the open cross rib design prevents water 'pooling' on the mat surface, helping the mat to be slip resistant. The surface is comfortable for bare feet and the vinyl compound material does not support the growth of bacteria making it ideal for use around swimming pools and in changing rooms.



WET AREAS



Sizes	0.6m x 1.2m, 1.0 x 1.5m
Thickness	12mm
Hole size	30mm x 10mm
Colours	

BAR AND CATERING MATS

In areas where food is being prepared or drinks being served – wet, slippery floors are a common hazard.

The Bar and Catering Mat range includes products that are specially designed to cope with the rigours of such environments. Free draining structures allow spilt liquids and debris to pass through the mat. The rubber material acts as a cushioning surface for both dropped crockery or glassware reducing breakages, and as an anti-fatigue mat providing a more comfortable environment for employees.

- ANTI-BAC DRAINAGE MAT
- HIGH DUTY MAT
- UNIMAT



Anti-Bac Drainage Mat

A nitrile rubber mat with integral anti-microbial properties to inhibit the growth of bacteria whilst being water, oil and grease resistant. The textured surface helps prevent slips by providing additional grip, whilst the drainage holes move spilt liquids away from the surface of the mat. Its construction helps ease staff fatigue caused by standing for long periods of time, whilst the cushioned surface also helps to prevent breakages of dropped crockery. Low profile borders ensure the ease of cart traffic over the surface.

Sizes	0.85 x 1.4m
Thickness	9mm
Colours	●





High Duty Mat

Offers excellent slip resistance and anti-fatigue properties for areas where spilt liquids and oils are a hazard. The holes allow drainage of spilt liquids leaving the top surface dry and safe. The thick rubber material also acts as a 'cushioning' surface for dropped glassware or crockery, helping to reduce breakages.



Sizes

Individual mat 0.9m x 1.5m (edged all round)

Thickness 14mm

Colours ●

Interlocking sections 0.9m x 1.5m can provide coverage of any length in widths of 0.9m or 1.5m

Thickness 12.5mm



Unimat

A 'drainable' rubber runner mat for long bar areas where spilt liquids provide a slip hazard. Easily rolls up, making it easy to move and clean and is ideal for temporary bars or kitchens. Manufactured from hardwearing rubber for long-lasting wear.



Sizes 0.9m x 5m, 0.9m x 10m

Thickness 10mm

Colours ●

ANTI-FATIGUE MATS

Standing on cold, hard concrete floors for prolonged periods of time is one of the most common causes of physical fatigue and muscular pain including backache and swollen or stiff joints. The pain caused is debilitating and as fatigue sets in, employees' productivity and concentration can be reduced, increasing the risk of workplace accidents.

Anti-fatigue mats are designed to encourage foot movement so stimulating blood circulation and changes in posture which helps reduce lower back and leg pain. They also insulate the worker from cold floors, helping to reduce physical fatigue. This combination means that the introduction of anti-fatigue matting into the workplace provides a more comfortable environment – which in turn encourages increased concentration and productivity.

- ELITE ANTI-FATIGUE
- BUBBLEMAT
- DURASTEP
- FLUTED ANTI-FATIGUE
- ORTHOMAT



Elite Anti-fatigue

The Elite Anti-fatigue mats' ultra hard wearing nitrile rubber construction makes it ideal for situations where staff are standing for extended periods of time. The design of the mat encourages foot movement so stimulating blood circulation and changes in posture. It also insulates workers from cold floors, helping to reduce physical fatigue.

Sizes	0.85 x 0.75m, 1.4 x 0.85m, 1.7 x 1.10m, 3 x 0.85m
--------------	--

Colours	●
----------------	---



Bubblemat

Manufactured from hard wearing rubber for heavy duty areas. The Bubble surface helps stimulate blood circulation to reduce fatigue and insulate against cold concrete floors. Ideal for use on production lines or packing stations where an operator is standing in a static position for long periods of time. Available in two standard sizes with safety bevel edge or in an end and middle piece for bespoke longer run areas.



Sizes

Individual 0.6m x 0.9m, 0.9m x 1.2m

Interlocking 0.6m x 0.9m end and middle piece
(interlocks on 0.6m side)

Thickness 14mm

Colours ●

Durastep

A high performance anti-fatigue mat ideal for areas where operatives are turning regularly in static positions for long periods of time, i.e. production lines or cashier stations. The fused dual layer PVC top and closed cell foam bottom layer offer excellent durability, underfoot cushioning and insulation from cold concrete floors.



Sizes 0.6m x 0.9m, 0.9m x 1.5m, 0.9m x 3.65m
0.6m x 18.3m, 0.9m x 18.3m, 1.2m x 18.3m

Thickness 12.5mm

Colours ●

Fluted Anti-fatigue

A durable PVC fluted surface bonded to closed cell PVC foam, designed to provide anti-fatigue properties, in demanding heavy duty industrial applications. The foam back provides fatigue relief from prolonged standing, whilst the fluted surface gives added grip. The bevelled edges help prevent trips and allow easy access for trolleys.



Sizes	0.6m x 0.9m, 0.9m x 1.5m, 0.9m x 3m
Thickness	10mm
Colours	●

Orthomat®

Manufactured from 100% closed cell PVC foam to provide a very comfortable standing surface to help reduce operator fatigue. Ideal for dry production areas, assembly lines and packing benches with medium duty use. Available in either a pebbled (conforms to slip resistance test EN 13552 category R10) or ribbed surface. Both versions are available as a safety option with bright yellow borders.



pebbled only

Width options	0.6m, 0.9m
Length options	Any up to 18.3m
Thickness	9mm
Colours	● (Safety option ● + ●)

INDUSTRIAL MATS

Industrial situations such as production lines and machining areas are prone to oil and debris building up on the floor, creating slip and trip hazards for the operators.

The Industrial Mats range provides a solution to these problems as the open structures of these mats allow swarf, debris and oil to pass through the mats providing a safe working floor surface, whilst also providing insulation from cold concrete floors and some fatigue relief.

- COMFORT, DRAINAGE & GRIT TILES
- WORKSAFE
- WORKSTATION MAT
- TREADMAT



Comfort, Drainage & Grit Mat Tiles

Able to withstand up to 4200kgs per sq ft, these are ideal for areas that are accessed by forklift trucks. They are not adversely affected by acid, alkaline, grease, oil, organic solvents or common use chemicals, and are also suitable for use in temperatures ranging from -30°C to +90°C. With its non-slip and anti-fatigue properties, this recycled rubber mat is ideal for all demanding industrial applications. The understructure allows either drainage or cables to pass freely below the mat's surface.

areas where oils and lubricants cause slip hazards. Ramped edging also available.

Sizes	Tile format so any size can be catered for	 
Tile size	0.5m x 0.5m	
Edge size	0.5m x 0.10m	
Thickness	25mm	
Colours	● (Edge colours ● + ●)	
Grit tile colours	● ● ● ● ●	



Grit versions of the tiles also available with a tough Silicon Carbide surface to give the ultimate protection against slips, ideal for



Work Safe

Manufactured from extremely hard wearing greaseproof rubber, it is ideal for areas in contact with animal oils, fat, grease or aggressive machine oils. The open structure allows swarf and other debris to fall through, providing a safe working top surface. The moulded bevelled edge increases safety whilst the unique underside design prevents the mat from slipping even in oily environments.



Sizes	0.9m x 1.5m
Thickness	15mm
Colours	● (● black non-greaseproof)



Workstation Mat

Ideal for individual workstations with medium to heavy duty use, manufactured from cross ribbed flexible PVC to give a safe slip resistant operating surface. The open weave design allows swarf and debris to fall through. The mat is supplied with contrasting coloured bevelled edging to help prevent tripping. Resistant to most industrial oils and chemicals, comfortable to stand on and provides some anti-fatigue properties for the operator.



Sizes	0.6m x 1.2m, 1.0m x 1.5m, 1.2m x 1.8m
Thickness	12mm
Hole size	22mm x 22mm
Colours	●
Edging	● ● ● ●



Treadmat (Light, Standard, Inter & Heavy)

Ideal for large areas such as production or assembly lines. The cross ribbed PVC matting has a choice of hole sizes to allow all types of swarf or industrial debris to fall through leaving the working surface clear and safe. Helps to insulate operators from cold floors during prolonged periods of standing. Factory fitted bevelled edging helps prevent trips and aid wheeled access (available as an optional extra). Resistant to most industrial oils and chemicals. Optional fixing blocks are also available to secure the mat to the floor.

Sizes	
Width	0.6m, 0.9m, 1.2m
Length	Any up to 10m
Thickness	12mm
Colours	● ● ● ●
Hole sizes	(*Fixing blocks available)
Light	30mm x 30mm
Standard*	22mm x 22mm
Inter	30mm x 10mm
Heavy*	22mm x 10mm



SPECIALIST MATS

Some environments require specialist matting products – for example cleanroom or critical environments, static sensitive areas, high voltage areas or even products that are required to stand up to the rigours of forklift trucks.

The Specialist Mats range includes a solution for each of these environments and more.


- GENERAL PURPOSE RUBBER MATTING
- TAK MATS
- ELECTRIC SAFETY MATTING
- GRIPFOOT TAPE
- STATIC DISSIPATIVE
- WATER MACHINE MAT



General Purpose Rubber Matting

Versatile, hard wearing rubber mats with slip resistant surfaces are ideal for many applications, from laying on workbenches to protect fragile components to laying on walkways to provide insulation from cold concrete floors. Rubber matting is an effective solution for all environments from industrial to equestrian situations.

Sizes	Fine fluted: 0.9m x 10m, 1.2m x 10m Stable rubber: 1.2m x 1.8m
Thickness	Fine fluted: 3mm, 6mm Stable rubber: 12mm, 17mm
Colour	●



Tak Mats

Made from a proprietary blend of polyolefin resins, Tak mats have peel off disposable layers. Each layer has an adhesive coating that captures small particles from wheels and foot traffic, protecting the area from dust and bacterial pollution. The numbered pull tab on each layer ensures that only one layer at a time is removed. Tak Mats are low profile, easy to install, and are available as adhesive backed pads to stick directly to the floor surface or with a loose lay reusable rigid polystyrene frame.



Sizes	0.8m x 0.6m	single frame (1pad)
	0.8m x 1.3m	double frame (2 pads)
	0.6m x 0.76m	replacement pad for frame
	0.46m x 1.17m	4 adhesive backed pads

Thickness Frame plus pad 6.5mm
Adhesive back pad 1.5mm

Colours ● ● ●

Electric Safety Matting

Specifically designed for use in front of open switchboards and high voltage equipment, it helps provide safety for operators against electrical shocks. Ribbed finish also helps provide a slip resistant surface. The 9.5mm thick product conforms to BS921/1976.




Sizes	0.9m x 10m, 1.2m x 10m
Thickness	6mm (tested to 11,000 volts for 450 volt rated working)
	9.5mm (tested to 15,000 volts for 650 volt rated working)

Colours ●

Gripfoot Tape

Non-slip abrasive grit tape gives additional grip to smooth surfaces helping to prevent slips and falls. Suitable for many applications including stair and ladder treads, ramps and walkways, entrances, loading docks, and even vehicles and boats. Hard wearing and with a self adhesive backing for ease of installation. Available in black, clear (ideal for decorative tiling) or a unique "Glow in the Dark" option for added safety in areas of dark or semi darkness.



Black & luminous rolls 25mm, 50mm, 102mm, 152mm*
(width options) (All rolls are 18.3m in length)

Black & clear tiles 140mm x 140mm (pack of 10)

Black & clear cleats 152mm x 610mm (pack of 10)

Clear rolls 50mm

* available in black only

Static Dissipative

Made from 100% closed cell vinyl. A tough, long lasting static dissipative mat to protect against and reduce static build up whilst offering the inherent benefits of fatigue relief. NOT TO BE USED IN HIGH VOLTAGE AREAS. Grounded via an integral 10mm male stud fitted to the mat, maximum performance is achieved when used with a floor mat grounding wire. Optional accessory kit available (consists of 2m mat grounding wire, 2 x heel grounders and earth bonding plug).




Sizes 0.6m x 0.9m, 0.9m x 1.5m, 0.9m x 18.3m

Thickness 9mm

Colour ●

Actual resistance $10^9 - 10^{10}$ Ohms per sq metre



Water Machine Mat

Helps to reduce the slip hazard commonly found in front of water dispensing machines by absorbing spilt liquids. This mat protects your carpets from water marks, and users from slipping on wet hard flooring. The crush resistant pile ensures that collected water evaporates overnight, leaving the mat dry for the morning, whilst carbon filaments within the pile help dissipate static build up. Designed to blend unobtrusively into most décor, the dimensions fit most standard water dispensers (both point of use & water coolers).



Sizes 0.6m x 0.9m

Cut out 0.2m x 0.3m

Colour ●



By appointment to
Her Majesty Queen Elizabeth II
Suppliers of Mats and
Matting Services
PHS Treadsmart, Caerphilly

PHS Group
Western Industrial Estate
Caerphilly CF83 1XH

Tel: 029 2080 9090
Fax: 029 2080 9091
Email: productinfo@phs.co.uk
www.phs.co.uk/treadsmart

Also available from the PHS Group:

- Balers & compactors
- Crate rental
- Electrical, fire & medical equipment testing
- Floor cleaning & restoration services
- Interior & exterior landscaping
- Janitorial consumables
- Managed workwear services
- On premise laundries
- Playground safety surfacing
- Roller towels
- Secure data destruction
- Washrooms services & consumables
- Waste management services
- Water dispensers

PHS Treadsmart is a member of the PHS Group
PHS and Treadsmart are registered trademarks of PHS Group
Calls may be monitored or recorded for training purposes

